

FW759 PRO

7" Touch Camera Monitor



7" 1280x800

Slim Design

400nit

Portable Sunshade

9:16 Ratio Marker

4K HDMI

Versatile Power Options

DC IN 12V/1A
Type-C ≥ 5V/2A
NP-F Series Battery

Touch Control


>> KEY FEATURES

- 7" HD 1280x800 IPS, present clearly image
- Full touch screen, easy to setup
- Slim and lightweight design
- Three F shortcut buttons can be self-defined for different function
- 4-group user switching, quickly access the already set menu
- 9:16 Vertical safety frame and ratio marker, ideal for Tik Tok, Instagram
- Equipped with 4K HDMI, AV interfaces, meet different needs
- 3.5mm earphone output for real-time monitoring

>> FULL RANGE OF AUXILIARY FUNCTIONS

Histogram	Peaking Filter	Embedded Audio	Exposure	Check Field	False Colors	Nine Grid	Screen Marker
Center Marker	Ratio Marker	Overscan	Anamorphic Mode	Image Flip	Image Freeze	Zoom-in	Pixel-to-Pixel


>> FLEXIBLE POWER SUPPLY OPTION



NP-F battery slot



DC IN 12V/2A




Type-C 5V


>> PARAMETERS

Model	FW759 PRO
Screen size	7" IPS (touch)
Material	Plastic (PC+ABS)
Resolution	1280x800 pixels
Pixel pitch	39.25(H) x RGB x 117.75(V) mm
Colors Display	16.7M
Color Depth	8 bit
Aspect ratio	16:10
Brightness	400cd/m ²
Contrast	1000:1
Backlight	LED
Response time	25ms
Viewing Angle	89°/89°(L/R) 89°/89°(U/D)
Inputs	HDMI, AV
Audio	3.5mm Audio Jack
HDMI Support Format	480i / 576i / 480p/576p
	1080i (60/59.94/50)
	720p (60/59.94/50/30/29/25/24/23.98)
	1080p (60/59.94/50/30/29.97/25/24/24sF/23.98/23.98sF)
	4K 3840×2160p (30/29.97/25/24/23.98)
	4096×2160p (24Hz)
Power Consumption	≤9W
Power Supply Way	DC 12V, TYPE-C 5V, NP-F battery Slot
working Temperature	-20~50°C
storage Temperature	-30~60°C
Install Way	1/4"-20 Thread Socket(bottom, right side)
Unit Size	182Lx115Hx22D (mm)
Unit Weight	300g

>> STRUCTURE



>> PACKAGING LIST

			
Monitor	HDMI Cable	Micro HDMI Cable	USB-A to USB-C Adapter
			
Mini Hot Shoe Mount+ Hex Wrench	Mini Hot Shoe Mount+ Hex Wrench	Management Tie	Quick Start Guide

HDMI[®]
HIGH-DEFINITION MULTIMEDIA INTERFACE

CE **FC**



Zhangzhou Seetec Optoelectronics Technology Co., Ltd

E-mail: sales@feelworld.cn

Tel: +86-596-2182566

Website: www.feelworld.com.cn

Fax: +86-596-2672617

www.seetec.com.cn